

WEST Search History

DATE: Friday, February 10, 2006

Hide?	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L30	5876989.pn. and fiber	0
<input type="checkbox"/>	L29	5445608.pn. and 17	1
<input type="checkbox"/>	L28	5445608.pn. and 20	1
<input type="checkbox"/>	L27	catheter and L25 and reservoir	56
<input type="checkbox"/>	L26	catheter and L25	272
<input type="checkbox"/>	L25	fiber optic and L24	768
<input type="checkbox"/>	L24	photodynamic therapy	3962
<input type="checkbox"/>	L23	L22 and reservoir	243
<input type="checkbox"/>	L22	L21 and membrane	996
<input type="checkbox"/>	L21	(fiber optic and (photosensiti\$ or photodynamic))	5380
<input type="checkbox"/>	L20	membrane and L19	92
<input type="checkbox"/>	L19	fiber optic and photocataly\$	184
<input type="checkbox"/>	L18	(fiber optic and (photosensiti\$ or photodynamic or photocataly\$))	5514
<input type="checkbox"/>	L17	L3 and photodynamic	1
<input type="checkbox"/>	L16	(fiber optic same reservoir and (photosensiti\$ or photodynamic or photocataly\$) and side wall)	7
<input type="checkbox"/>	L15	(fiber optic same reservoir and (photosensiti\$ or photodynamic or photocataly\$) and light guide)	9
<input type="checkbox"/>	L14	(fiber optic same reservoir and (photosensiti\$ or photodynamic or photocataly\$))	48
<input type="checkbox"/>	L13	(fiber optic same reservoir same (photosensiti\$ or photodynamic or photocataly\$))	5
<input type="checkbox"/>	L12	(titanium oxide and photodynamic therapy and (membrane same disrupt\$) and photosensiti\$)	0
<input type="checkbox"/>	L11	(photocataly\$ and photodynamic therapy and (membrane same disrupt\$) and photosensiti\$)	0
<input type="checkbox"/>	L10	(photocataly\$)	19775
<input type="checkbox"/>	L9	(photodynamic therapy and (membrane same disrupt\$) and photosensiti\$ and fiber optic and photocataly\$)	0
<input type="checkbox"/>	L8	(photodynamic therapy and (membrane same disrupt\$) and photosensiti\$ and fiber optic)	58
<input type="checkbox"/>	L7	(capillary and photodynamic therapy and (membrane same disrupt\$) and photosensiti\$)	51

<input type="checkbox"/>	L6	(photodynamic therapy and (membrane same disrupt\$) and photosensiti\$)	156
<input type="checkbox"/>	L5	(photodynamic therapy and membrane same disrupt\$)	244
<input type="checkbox"/>	L4	5876989.pn.	2
<input type="checkbox"/>	L3	5925012.pn.	2
<input type="checkbox"/>	L2	(fiber optic same reservoir and (photosensiti\$ or photodynamic or photocataly\$) and light guide)	9
<input type="checkbox"/>	L1	(fiber optic same reservoir and (photosensiti\$ or photodynamic or photocataly\$) and side wall)	7

END OF SEARCH HISTORY